

# INDEX MAPS.

## T. 14N, R. 11E. 2<sup>nd</sup> Mer.

	207		206		206		206		206		205	
209	6	229	5	225	4	221	3	218	2	214	1	205
	<del>231</del>		<del>229</del>		<del>225</del>		<del>221</del>		<del>217</del>		<del>213</del>	
209	7	229	8	225	9	221	10	217	11	212	12	204
	<del>231</del>		<del>228</del>		<del>224</del>		<del>220</del>		<del>217</del>		<del>212</del>	
208	18	228	17	224	16	220	15	216	14	212	13	204
	<del>230</del>		<del>228</del>		<del>224</del>		<del>220</del>		<del>216</del>		<del>212</del>	
208	19	227	20	223	21	219	22	216	23	211	24	204
	<del>230</del>		<del>227</del>		<del>223</del>		<del>219</del>		<del>215</del>		<del>211</del>	
208	30	226	29	223	28	219	27	215	26	210	25	203
	<del>230</del>		<del>226</del>		<del>222</del>		<del>218</del>		<del>214</del>		<del>210</del>	
207	31	226	32	222	33	218	34	214	35	210	36	203
	202		202		202		201		201		201	

## T. 15N, R. 11E. 2<sup>nd</sup> Mer.

	238		238		237		237		237		236	
240	6	260	5	255	4	251	3	248	2	244	1	236
	<del>261</del>		<del>259</del>		<del>255</del>		<del>251</del>		<del>247</del>		<del>244</del>	
240	7	259	8	255	9	251	10	247	11	243	12	236
	<del>261</del>		<del>258</del>		<del>254</del>		<del>250</del>		<del>247</del>		<del>243</del>	
239	18	258	17	254	16	250	15	246	14	243	13	236
	<del>261</del>		<del>258</del>		<del>254</del>		<del>250</del>		<del>246</del>		<del>242</del>	
239	19	257	20	253	21	249	22	246	23	242	24	235
	<del>260</del>		<del>257</del>		<del>253</del>		<del>249</del>		<del>245</del>		<del>242</del>	
239	30	257	29	253	28	249	27	245	26	241	25	235
	<del>260</del>		<del>256</del>		<del>252</del>		<del>248</del>		<del>245</del>		<del>241</del>	
238	31	256	32	252	33	248	34	244	35	240	36	235
	234		234		234		233		233		233	

The figures on the lines refer to the page.

Township N. 14 North, Range N. 11 East 2. Mer. Indiana  
 18. 1/2.

South Boundary var. 6.45'E.  
 July 13<sup>th</sup> 1819

Met On S. boundary of Sec. 36, T14N, R11E.  
 25.40 an Ash 12 in. diam.

38.50 at Branch 4 lks. wide Course S. W.

40.00 Set of Sec. post, from which  
 a Sugar 21 in. diam. bears N 42 E 26 lks. dist. &  
 a Beech 20 " " " N 12 W 16 " "

47.00 at Branch 4 lks. wide Course S. W.

47.40 a Beech 25 lks. diam.

56.00 at Branch 4 lks. wide Course S. W.

68.00 a Do. 12 " " " S. W.

80.00 Set post Cor. to Sec. 35 & 36, from which  
 a Sugar 21 in. diam. bears N 27 E 19 lks. dist. &  
 a Beech 6 " " " N 41 W 27 " "  
 Good farming land, Sugar, Beech, Ash, Poplar  
 Walnut &c. under good Spruce & haw pear

---

Met On S. boundary of Sec. 35

7.00 at Branch 5 lks. wide Course S. W.

17.41 at Beech 24 in. diam. bears

40.00 Set of Sec. post, from which  
 a Sugar 6 in. diam. bears N 46 E 17 lks. dist. &  
 a Beech 30 " " " N 27 E 32 " "

63.00 at Branch 20 lks. wide Course S. E.

78.00 a Poplar 30 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which  
 a Sugar 10 in. diam. bears N 68 E 10 lks. dist. &  
 a Do. 12 " " " N 38 W 15 " "  
 Good farming land, timber same as on last mile

---

Met On S. boundary of Sec. 34

4.00 at Branch 4 lks. wide Course S. E.

40.00 Set of Sec. post, from which  
 a Sugar 21 in. diam. bears N 49 W 8 lks. dist. &  
 a Beech 6 " " " N 4 W 8 " "

Twp. N. R. 11 E. 2<sup>d</sup>. Mer. Indianach. 2<sup>d</sup> 1/4.

47.00 at Branch 5 lks. wide Course S. E.

53.50 Cross a wagon road

61.28 at Beech 24 in. diam.

80.00 Set post Cor. to Sec. 33 & 34, from which  
at Beech 24 in. diam. bear S 67 E 15 lks. dist. &  
a Do. 8 " " " N 87 W 13 " "

Good farming land timber same as on last mile

West On S. boundary of Sec. 33

24.27 an Elm 36 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 18 in. diam. bear S 88 E 8 lks. dist. &  
a Do. 9 " " " N 26 E 28 " "

42.50 at Branch 10 lks. wide Course S. E.

63.85 an Elm 16 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, from which  
a Sugar 14 in. diam. bear S 36 W 28 lks. dist. &  
at Beech 15 " " " N 6 E 7 " "  
Good farming land, Beech, Sugar, Ash, Elm,  
Poplar, Walnut &c. undug. Spice & Pawpaw

West On S. boundary of Sec. 32

23.48 a Walnut 24 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 18 in. diam. bear S 67 E 24 lks. dist. &  
a Sugar 6 " " " N 81 W 25 " "

50.30 at Beech 20 " "

80.00 Set post Cor. to Sec. 31 & 32, from which  
an Elm 12 in. diam. bear S 57 W 23 lks. dist. &  
at Beech 6 " " " N 17 W 8 " "Rich level land, Sugar, Walnut, Elm, Ash, Buckeye  
&c. undug. Spice & Pawpaw

West On S. boundary of Sec. 31

5.64 at Beech 20 in. diam.

40.00 Set q<sup>r</sup>. Sec. post from which

# 44 N. 11 E. 2<sup>d</sup> Mer. Indiana Ch. 119.

- a Sugar 10 in. diam. - bear S 11 W 49 lks. dist. &  
an Ash 25 " " " N 27 W 13 " "  
47.40 Intersected the N of S. line & set post Cor. to town  
13 & 14 N, Range 10 & 11 East, from which  
an Elm 16 in. diam. - bear S 40 E 32 lks. dist. &  
a Beech 18 " " " N 35 W 17 " "  
Good farming land, timber as on last  
July 13<sup>th</sup> 1819

- East Boundary var. 6° 30' E.
- North On E. boundary of Sec. 36
- 10.00 a Branch 2 lks. wide Course E.
- 10.64 a Beech 20 in. diam. -
- 26.10 a Branch 2 lks. wide Course E.
- 40.00 Set q. Sec. post, from which  
a Sugar 10 in. diam. - bear S 18 E 32 lks. dist. &  
a No. 8 " " " N 40 W 30 " "  
48.25 a Brook 3 lks. wide Course E.
- 58.00 a Creek 20 " " " S. E.
- 69.60 a Beech 20 in. diam. -
- 80.00 Set post, Cor. to Sec. 25 & 36, from which  
a W. Oak 18 in. diam. - bear S 24 W 40 lks. dist. &  
a Sugar 12 " " " N 63 E 27 " "  
Over good farming land, timber Beech, Sugar & Oak

- North On E. boundary of Sec. 25
- 11.30 a Poplar 30 in. diam. -
- 40.00 Set q. Sec. post, from which  
a Beech 20 in. diam. - bear S 52 E 27 lks. dist. &  
an Ash 30 " " " West 19 " "  
55.00 a Branch 4 lks. wide Course S. E.
- 64.24 a No. 3 " " " S. E.
- 70.11 a W. Oak 24 in. diam. -
- 80.00 Set post Cor. to Sec. 24 & 25, from which  
a Sugar 8 in. diam. - bear S 74 W 10 lks. dist. &  
a Beech 18 " " " N 8 E 48 " "



W. N. S. M. E. D. Mr. Indiana

Ch. Lk.

Over good farming land, timber Beech, Sugar,  
Poplar, &c. undr. & Spice

North On E. boundary of Sec. 24

23.11 at Beech 22 in. diam.

40.00 Set g. Sec. post, from which  
an Elm 10 in. diam. bears S 20 E 18 lks. dist. of  
a Hornbeam 7 " " " N 23 E 10 " "

45.10 at Brook 14 lks. wide Course E.

63.50 at Brook 10 " " " E.

64.64 at Sugar 20 in. diam.

80.00 Set post Cor. to Sec. 13 of 24, from which  
a Sugar 12 in. diam. bears N 51 W 13 lks. dist. of  
a Beech 14 " " " S 67 E 17 " "  
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13.

9.00 at Brook 10 lks. wide Course E.

10.74 at Walnut 20 in. diam.

17.50 at Creek 50 lks. wide Course S. E.

40.00 Set g. Sec. post, from which  
at Beech 14 in. diam. bears S 70 E 23 lks. dist. of  
a Do. 14 " " " S 82 W 3 " "

49.90 at Creek 50 lks. wide Course S. W.

65.00 Same 50 lks. " " S. E.

66.24 at Beech 14 in. diam.

80.00 Set post Cor. to Sec. 12 of 13, from which  
at Beech 22 in. diam. bears S 23 W 15 lks. dist. of  
a Do. 15 " " " N 54 E 16 " "  
Land timber &c. same as on the last mile

North On E. boundary of Sec. 12

5.00 at Creek 40 lks. wide Course S. W.

25.70 at Beech 10 in. diam.

27.24 at Brook 10 lks. wide Course E.

40.00 Set g. Sec. post, from which

# St. N. P. N. E. 2<sup>d</sup>. Mer. Indiana

ch. lks.

- an Elm 30 in. diam. bray S 15 N 24 lks. dist. of  
 a Sugar 12 " " " N 20 E 22 " "  
 57.92 a Sugar 14 " "  
 64.50 a Branch 4 lks. wide Course E.  
 80.00 Set post Cor. to Sec. 1 of 12, from which  
 a Hickory 10 in. diam. bray S 25 W 41 lks. dist. of  
 a Sugar 11 " " " N 5 E 21 " "  
 Over good farming land, timber Beech, Sugar,  
 Poplar &c. undg<sup>th</sup>. Spice

## North On E. boundary of Sec. 1

- 17.04 a Sugar 14 in. diam.  
 40.00 Set of Sec. post, from which  
 a Sugar 9 in. diam. bray S 20 W 32 lks. dist. of  
 a Do. 9 " " " N 40 E 7 " "  
 80.24 Set post Cor. to Township 14 of 15 North of  
 Range 11 of 12 East, from which  
 an Ash 24 in. diam. bray N 76 W 20 lks. dist. of  
 a Beech 12 " " " S 66 E 23 " "  
 Over rich land, timber Beech, Sugar, Poplar  
 &c. undg<sup>th</sup>. Spice

## North Boundary var. 6° 45' E

Met On S. boundary of Sec. 36, S 15 N. P. N. E.

- 25.03 a Blue Ash 42 in. diam.  
 40.00 Set of Sec. post, from which  
 a Sugar 12 in. diam. bray N 19 W 19 lks. dist. of  
 an Elm 21 " " " S 64 W 30 " "  
 50.00 a Branch 12 lks. wide Course S.  
 51.84 a Beech 25 in. diam.  
 75.50 a Branch 8 lks. wide Course N. W.  
 80.00 Set post Cor. to Sec. 35 of 36, from which  
 a Beech 20 in. diam. bray S 71 E 21 lks. dist. of  
 an Ash 18 " " " N 46 W 38 " "  
 Level 1<sup>st</sup> rate land, Sugar, Beech, Walnut  
 Blue Ash, Buckeye &c. undg<sup>th</sup>. Spice & pawpaw

T4 N R11 E. 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

West On S. boundary of Sec. 35, T4 N. R11 E.

38.25 at Beech 25 in. diam.

40.00 Set of Sec. post, from which  
a Hickory 18 in. diam. bear S49 E 23 lks. dist. &  
a Do. 16 " " " NW 38 " "

58.25 an Ash 25 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
at Beech 16 in. diam. bear S46 W 29 lks. dist. &  
a Do. 18 " " " NE 26 " "  
Level 1<sup>st</sup> rate land, timber as on last mile

West On S. boundary of Sec. 34, T4 N. R11 E.

27.32 at Beech 18 in. diam.

40.00 Set of Sec. post, from which  
at Beech 10 in. diam. bear N46 W 13 lks. dist. &  
an Elm 12 " " " S76 E 9 " "

56.39 at Beech 24 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
at Beech 7 in. diam. bear N52 W 17 lks. dist. &  
a Do. 10 " " " S46 E 37 " "  
Land timber &c. same as on the last mile

West On S. boundary of Sec. 33, T4 N. R11 E.

15.15 an Ash 25 lks. diam.

40.00 Set of Sec. post, from which  
a Sugar 12 in. diam. bear S64 E 17 lks. dist. &  
at Beech 20 " " " N85 W 22 " "

50.00 at Branch 10 lks. wide Course N.W.

79.69 at Blue Ash 42 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, from which  
at Beech 20 in. diam. bear S29 W 21 lks. dist. &  
a Shok 40 " " " East 27 " "  
Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T4 N. R11 E

1.94 at Beech 24 inches diameter

T14 N. R11 E. 2<sup>d</sup> Mer. IndianaCh. P. M<sub>4</sub>

- 5.00 a Branch 10 lks. wide Course N.W.  
 40.00 Set q. Sec. post, from which  
 an Ash 30 in. diam. bear N41 E 24 lks. dist. of  
 a Sugar 8 " " " S74 W 6 " "  
 60.12 a Beech 14 " "  
 70.00 a Branch 15 lks. wide Course N.W.  
 80.00 Set post Cor. to Sec. 31 & 32, from which  
 a Beech 9 in. diam. bear N72 W 35 lks. dist. of  
 a Ho. 40 " " " S52 E 16 " "  
 Land timber &c. Same as on the last mile

West On S. boundary of Sec. 31, T15 N. R11 E.

- 8.69 a Beech 27 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 6 in. diam. bear S59 E 4 lks. dist. of  
 a Hackberry " " " N54 W 38 " "  
 45.50 a Creek 60 lks. wide Course S.W.  
 50.00 Intersected at the post cor. of Township  
 14 & 15 North, of Range 10 & 11 East  
 Land timber &c. Same as on the last mile  
 Friday July 16<sup>th</sup> 1819  
 John M. McDonald, D. S.

## West Boundary

var. 6° 30' E.

North On E. boundary of Sec. 36, T14 N. R10 E.

H-10

- 16.00 a Branch 6 lks. wide Course N.W.  
 16.52 an Ash 21 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 20 in. diam. bear S5 E 12 lks. dist. of  
 a Ho. 20 " " " N6 W 9 " "  
 42.50 a Branch 8 lks. wide Course S.W.  
 45.26 a Beech 14 in. diam.  
 80.00 Set post Cor. to Sec. 25 & 36, from which  
 a Blue Ash 16 in. diam. bear S71 W 8 lks. dist. of  
 a Hickory 6 " " " S57 E 15 " "  
 Rich level land, Sugar, Walnut, ash, Elm, Poplar &c. Spice &c.



T4 N R10 E. 2<sup>d</sup> Mer. Indiana

ch. lks.

North On E. boundary of Sec. 25, T4 N. R10 E.

12.00 at Branch 20 lks. wide Course S.W.

15.04 an Ash 14 in. diam.

38.00 at Branch 6 lks. wide Course N.W.

40.00 Set q<sup>r</sup>. Sec. post, from which

at Beech 6 in. diam. bray S 71° 26 lks. dist. &amp;

an Elm 18 " " " S 7° E 25 " "

42.00 a Creek 30 lks. wide Course S.W.

51.31 a Beech 30 in. diam.

80.00 Set post Cor. to Sec. 24 &amp; 25, from which

at Beech 18 in. diam. bray N 55° W 16 lks. dist. &amp;

a Do 8 " " " S 3° E 16 " "

Rich level land, Sugar, Beech, Ash, Elm, Buckeye

Ye. Spruce & pawpaw. Thursday July 15<sup>th</sup> 1819

North On E. boundary of Sec. 24, T4 N. R10 E

15.62 a Beech 20 in. diam.

23.50 a Branch 20 lks. wide Course S.W.

40.00 Set q<sup>r</sup>. Sec. post, from which

at Buckeye 10 in. diam. bray N 68° W 8 lks. dist. &amp;

a W. Ash 7 " " " East 27 " "

45.00 a Branch 6 lks. wide Course S.W.

61.33 at Beech 21 in. diam.

80.00 Set post Cor. to Sec. 13 &amp; 24, from which

an Elm 7 in. diam. bray S 17° W 7 lks. dist. &amp;

an Ash 14 " " " N 38° E 6 " "

Sand timber &amp;c. Same as on the last mile

North On E. boundary of Sec. 13, T4 N. R10 E.

13.59 a Beech 25 in. diam.

20.00 a Wagon road N.E. &amp; S.W.

22.00 a Branch 20 lks. wide Course S.W.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 16 in. diam. bray N 46° W 10 lks. dist. &amp;

a Do. 22 " " " S 85° E 17 " "

51.77 a Beech 16 " "



T4 N. R11 E. 2<sup>d</sup>. Mer. Indiana

Ch. lks.

- 59.00 a Branch 6 lks. wide Course N.W.  
 80.00 At post Cor. to Sec. 12 & 13, from which  
 at Beech 9 in. diam. bray N46 E 4 lks. dist. of  
 a No. 10 " " " N46 W 24 " "  
 Good farming land, Beech, Sugar, Ash, Elm,  
 Buckeye &c. under " Spice & prairie"

- North On E. boundary of Sec. 12, T4 N. R10 E.  
 13.67 a Beech 24 in. diam.  
 14.50 a Branch 15 lks. wide Course S.W.  
 40.00 At q. Sec. post, from which  
 at Beech 7 in. diam. bray N67 W 18 lks. dist. of  
 a No. 16 " " " N73 E 21  
 53.34 a Beech 33 " "  
 80.00 At post Cor. to Sec. 1 & 12, from which  
 at Beech 18 in. diam. bray S48 W 28 lks. dist. of  
 a No. 7 " " " S12 E 40 " "  
 Sand timber &c. Same as on the last mile

- North On E. boundary of Sec. 1, T4 N. R10 E.  
 23.00 a Beech 24 in. diam.  
 33.00 a Branch 6 lks. wide Course N.W.  
 36.00 Same 6 lks. " " N.E.  
 40.00 At q. Sec. post, from which  
 at Beech 10 in. diam. bray N3 E 20 lks. dist. of  
 a No. 14 " " " N81 W 17 " "  
 40.50 a Branch 8 lks. wide Course N.W.  
 43.00 Same " " " N.E.  
 50.98 a Beech 12 in. diam.  
 54.00 a Creek 30 lks. wide Course N.W.  
 58.00 Wagon road Crossing the line at right angle  
 77.00 a Creek 60 lks. wide Course S.W.  
 78.40 Intersected the N. boundary of Sec. post Cor. to town,  
 14 & 15 N. Ranges 10 & 11 E, from which  
 a Hickory 18 in. diam. bray S76 E 22 lks. dist. of  
 a Hackberry 20 " " " S22 W 31 " "

1/4 N. R. 11 E. 2<sup>d</sup> Mer. Indiana  
Ch. 1/4.

Good farming land, Sugar, Beech, Elm, Ash,  
Mulberry, Birch & undr. Spec. of Panpan  
July 15<sup>th</sup> 1819

John M. Donald, U. S.

### Subdivision

North Between Sec. 35 & 36, 1/4 N. R. 11 E.

20.90 a Sugar tree 12 in. diam.

38.75 a Do. 14 " "

40.00 Set of Sec. post, from which

a Sugar 15 in. diam. bear S 84 E 8 lks. dist. &

a Do. 18 " " " N 69 W 47 " "

56.25 a Sugar tree 12 " "

61.00 a Mulberry 18 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which

a Sugar 8 in. diam. bear N 20 E 18 lks. dist. &

a Beech 18 " " " S 40 E 36 " "

Land level rich, timber Poplar, Beech, Ash &c

East On Rand. between Sec. 25 & 36

40.00 Set temp. of Sec. post

78.50 Intersected the E. boundary 93 lks. S. of post

Land level rich, timber Poplar, Ash, Elm, Beech, Sugar &c.

West Corrected between Sec. 25 & 36

11.00 Sugar tree 24 in. diam.

30.80 a Beech 30 " "

39.25 Set of Sec. post at average dist. from which

a Beech 9 in. diam. bear S 36 W 29 lks. dist. &

a Sugar 12 " " " N 48 W 24 " "

52.50 a Beech 24 " "

69.00 a Sugar 12 " "

78.50 to Sec. Corner

North Between Sec. 25 & 26

9.00 a Red Elm 12 in. diam.

# 14 N. 14 E. 2<sup>d</sup> Mer. Indiana

Ch. 1<sup>st</sup> 1/2

- 25.20 a Hickory 24 in. diam.  
 40.00 Set g. Sec. post, from which  
 a W. Ash 18 in. diam., bear N 10 E 20 lks. dist. &  
 a Beech 6 " " " S 80 E 21 " "  
 56.50 a Poplar 18 " "  
 65.00 a Brook 12 lks. wide Course E.  
 70.00 a Sugar 12 in. diam.  
 80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which  
 a Beech 18 in. diam., bear East 7 lks. dist. &  
 a Do. 12 " " " North 27 " "  
 Sand hilly, timber Beech, Ash & Sugar tree

## East On Land between Sec. 24 & 25

- 40.00 Set temp. g. Sec. post  
 78.60 Intersected the E. boundary 27 lks. S. of post  
 Sand hilly, timber Beech, Poplar, Sugar tree &c.

## West Cor. between Sec. 24 & 25

- 39.30 Set g. Sec. post at average dist. from which  
 a Beech 18 in. diam., bear East 27 lks. dist. &  
 a Sugar 10 " " " N 15 W 7 " "  
 50.00 a Poplar 48 " "  
 69.00 a Beech 24 " "  
 78.60 to Sec. Corner.

## North Between Sec. 23 & 24

- 15.00 a Small Beech 12 in. diam.  
 31.00 a Beech 24 in. diam.  
 40.00 Set g. Sec. post, from which  
 a Beech — in. diam., bear S 30 E 25 lks. dist. &  
 a Sugar 18 " " " S 25 W 23 " "  
 50.00 a Beech 36 " "  
 65.00 a Do 24 " "  
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Beech 18 in. diam., bear North 10 lks. dist. &  
 a Do. 12 " " " South 12 1/2 " "

W. K. R. M. E. D., Mer. Indiana  
Ch. 114.  
timber Ash, Poplar &c.

East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 13 & 24

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

77.50 Intersected the E. boundary 330 lks. S. of post  
Sand hilly timber Beech, Sugar, Ash &c.

West Corrected between Sec<sup>s</sup>. 13 & 24

5.50 an Ironwood 6 in. diam.

23.50 a run 25 lks. wide — Course —

35.50 a Beech 24 in. diam.

38.75 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Beech 8 in. diam., bear East 10 lks. dist. &  
a Sugar 18 " " " N 80 W 25 " "

50.50 a Sugar 15 " "

67.50 a Do. 18 " "

77.50 to Sec. Corner.

North Between Sec<sup>s</sup>. 13 & 14

8.00 a Beech 15 in. diam.

35.00 a Sugar 12 " "

40.00 Set g<sup>r</sup>. Sec. post, from which

a Sugar 6 in. diam., bear S 45 W 8 lks. dist. &  
an Ash 24 " " " S 85 E 3 " "

51.00 a Sugar 16 " "

79.00 an Ash 6 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 11, 12, 13 & 14, from which

a Beech 9 in. diam., bear S 85 W 15 lks. dist. &

a Do. 16 " " " N 45 E 6 " "

Timber Beech, Ash, Sugar &c.

East On Rand<sup>m</sup>, between Sec<sup>s</sup>. 12 & 13

40.00 Set temp<sup>y</sup>. g<sup>r</sup>. Sec. post

78.20 Intersected the E. boundary 400 lks. S. of post  
Sand hilly, timber Beech, Sugar, Ash, Poplar, Cherry &c.



# Sh. N. P. M. E. D. Mer. Indiana

ch. 1/4

West Corrected between Sec. 12 & 13

10.00 a Beech 15 in. diam.

37.00 a Do. 24 " "

39.10 Set of Sec. post at average dist. from which  
a Sugar 28 in. diam. bear S 45 W 19 lks. dist. of  
a Beech 15 " " " N 40 W 21 " "

52.00 a Beech 24 " "

68.00 a run 8 lks. wide Course —

70.00 a Beech 12 in. diam.

78.20 to Sec. Corner.

North Between Sec. 11 & 12

10.00 a Beech 18 in. diam.

35.75 a Do. 7 " "

40.00 Set of Sec. post, from which  
a Beech 12 in. diam. bear S 80 E 20 lks. dist. of  
a Poplar 48 " " " S 30 W 15 " "

50.50 a Poplar 36 " "

50.50 a run 10 lks. wide Course —

70.00 a Walnut 12 in. diam.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
a Beech 12 in. diam. bear S 30 E 10 lks. dist. of  
a Sugar 9 " " " N 20 W 15 " "  
Sand, hick, Elm, Sugar, Ash, Beech &c

East On Rand. between Sec. 1 & 12

5.50 a run 10 lks. wide Course S. E.

40.00 Set of Sec. post

79.00 Intersected E. boundary 635 lks. S. of post  
First 1/2 mile hilly 2<sup>d</sup> rate last 1/2 level 1<sup>st</sup> rate  
Beech, Poplar, Ash, Sugar, Sycamore &c.  
under 1<sup>st</sup> Spruce &c.

West Corrected between Sec. 1 & 12

11.00 an Ash 12 in. diam.

34.50 a Beech 10 " "



T4 N. R11 E. 2<sup>d</sup>. Mer. Indiana  
 ch. l. l. l.

39.50 Set g. sec. post at average dist. from which  
 an Ash 24 in. diam. bear S45 W 25 lks. dist. 8  
 a Beech 6 " " " N20 E 5 " "  
 52.00 a Sugar 18 " "  
 71.00 a Beech 12 " "  
 79.00 to Sec. Corner.

North Between Sec. 1 & 2, T4 N. R11 E

11.00 a W. Oak 12 in. diam.  
 35.50 a Beech 18 " "  
 40.00 Set g. sec. post, from which  
 a Beech 10 in. diam. bear S45 E 50 lks. dist. 8  
 a Sugar 9 " " " S80 W 15 " "  
 52.00 a Sugar 15 " "  
 71.00 a Beech 18 " "  
 87.50 Intersected the N. boundary 132 lks. East of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a Sugar 6 in. diam. bear S20 E 8 lks. dist. 8  
 a Do. 6 " " " N70 E 15 " "  
 (Description of land &c. Omitted)

North Between Sec. 34 & 35

10.00 a Poplar 30 in. diam.  
 36.50 a Sugar 24 " "  
 40.00 Set g. sec. post, from which  
 an Elm 24 in. diam. bear N30 W 30 lks. dist. 8  
 a Sugar 9 " " " S40 E 30 " "  
 55.00 a Sugar 18 " "  
 71.50 a W. Oak 10 " "  
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
 a Beech 12 in. diam. bear N80 W 6 lks. dist. 8  
 a Do. 9 " " " S30 E 20 " "  
 Sand level rich, timber Beech, Poplar &c.

East On Rand<sup>m</sup>. between Sec. 26 & 35

40.00 Set temp. g. sec. post

Sh. N. R. N. E. 2<sup>nd</sup>. Mo. Indiana

ch. 1/2.

81.90 Intersected the N & S. line 109 ch. N. of post  
Sand level rich, timber Beech, Sugar, Poplar &c.

West Connected between Sec. 34 & 35

15.00 a Beech 15 in. diam.

30.00 a Sugar 10 " "

40.95 Set q. Sec. post at average dist. from which  
a Sugar 10 in. diam. bear East 6 ch. dist. &  
a Hickory 4 " " " South 11 " "

54.00 a Beech 18 " "

61.00 a do. 24 " "

81.90 to Sec. Corner

North Between Sec. 26 & 27

17.00 a Beech 10 in. diam.

30.00 a Sugar 15 " "

40.00 Set q. Sec. post, from which  
a Sugar 18 in. diam. bear West 10 ch. dist. &  
a Beech 8 " " " N 40 E 25 " "

56.00 a Beech 24 " "

71.00 a Sugar 12 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
a Beech 9 in. diam. bear S 80 E 12 ch. dist. &  
an Ash " " " S 75 W 25 " "  
Sand 1<sup>st</sup>. rate, timb. Ash, Walnut, Beech, Sugar &c.

East On Rand. between Sec. 23 & 26

40.00 Set temp. q. Sec. post

81.80 Intersected the N & S. line 142 ch. N. of post  
Sand level rich, timber Beech, Sugar, Ash &c.  
underg<sup>th</sup>. Spruce.

West Connected between Sec. 23 & 26

4.75 an Elm 28 in. diam.

36.00 a Beech 12 " "

40.90 Set q. Sec. post, at average dist. from which

West N.E. 2<sup>nd</sup> Mer. Indiana  
 Ch. Lk.  
 a Beech 6 in. diam., bear N 45 E 6 lks., dist. of  
 a Sugar 12 " " " S 71 W 4 " "  
 56.00 a Beech 6 " "  
 72.00 a do. 12 " "  
 81.85 to Sec. Corner

North Between Sec. 22 & 23  
 8.00 an Elm 36 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 14 in. diam., bear S 80 W 10 lks., dist. of  
 a Sugar 7 " " " S 5 E 5 " "  
 65.00 a Beech 24 " "  
 80.00 Set post cor. to Sec. 14, 15, 22 & 23, from which  
 a Sugar 5 in. diam., bear N 80 W 10 lks., dist. of  
 a Beech 7 " " " S 8 E 20 " "  
 Sand good, timber Ash, Poplar, Beech, Sugar etc.

East On Rand. between Sec. 14 & 23  
 40.00 Set temp. q. Sec. post  
 81.90 Intersected the N & S line 158 lks. N. of post  
 Sand rich, timber Beech, Poplar, Sugar etc.

West Connected between Sec. 14 & 23  
 19.00 a Sugar 10 in. diam.  
 40.95 Set q. Sec. post, from which  
 a Beech 8 in. diam., bear East 4 lks., dist. of  
 a do. 12 " " " S 80 W 15 " "  
 51.00 a Beech 24 " "  
 81.90 to Sec. Corner

North Between Sec. 14 & 15  
 6.00 a Poplar 20 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Sugar 12 in. diam., bear N 50 E 30 lks., dist. of  
 an Elm 10 " " " S 71 W 10 " "  
 65.00 a Beech 24 " "

# 217

## Twp. N. R. 1 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which  
a Beech 12 in. diam. bears N 60 E 35 lks. dist. of  
an Ash 16 " " " S 80 W 10 " "  
Land 1<sup>st</sup> rate, timber B. Walnut, Ash, Elm,  
Sugar, Beech, underg<sup>th</sup>. Spruce &c.

---

East On Rand<sup>m</sup>. between Sec. 11 & 14

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

82.00 Intersected the N & S. 150 lks. N. of post  
(Description of Land &c. Omitted)

---

West Corrected between Sec. 11 & 14

20.00 an Ash 20 in. diam.

41.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. diam. bears S 80 E 35 lks. dist. of  
a Do. 12 " " " N 20 E 30 " "

82.00 to Sec. Corner

---

North Between Sec. 10 & 11

14.00 a Beech 16 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 30 in. diam. bears N 80 E 15 lks. dist. of  
a Do. 24 " " " N 75 W 30 " "

70.00 a Sugar 8 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 4 in. diam. bears S 75 W 8 lks. dist. of  
a Walnut 10 " " " N 20 E 25 " "  
Land rich, timb. Ash, Sugar &c. underg<sup>th</sup>. Spruce &c.

---

East On Rand<sup>m</sup>. between Sec. 2 & 11

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post (from which)

82.00 Intersected the N & S. line 200 lks. N. of post  
Land timber &c. same as on the last mile

---

West Corrected between Sec. 2 & 11

10.00 an Ash 12 in. diam.



T4 N. R11 E. 2<sup>nd</sup> Mer. Indiana

Ch. M.

41.00 Set q<sup>r</sup>. Sec. post, from which (at average dist.)  
an Ash 12 in. diam. brang West 15 lks. dist. &  
a Beech 6 " " " East 25 " "  
56.00 a Beech 18 " "  
82.00 to Sec. Corner.

North Between Sec. 2 &amp; 3, T4 N. R11 E.

25.50 at Beech 12 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
an Ash 18 in. diam. brang S60 E 15 lks. dist. &  
a Sugar 6 " " " West 6 " "

66.50 a Walnut 20 " "

84.30 Intersected the N. boundary 200 lks. W. of post  
Set post Cor. to Sec. 2 & 3, from which  
a Beech 9 in. diam. brang S70 E 25 lks. dist. &  
a Sugar 8 " " " N60 E 10 " "  
Poplar, Ash, Beech, Sugar &c. underg<sup>rd</sup>. Spruce &c.

North Between Sec. 33 &amp; 34

18.00 at Beech 18 in. diam.

30.00 a Do. 14 " "

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 6 in. diam. brang S40 W 25 lks. dist. &  
a Do. 24 " " " North 4 " "

57.00 a Sugar 9 " "

68.00 a Hackberry 30 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Sugar tree 9 in. diam. brang S30 W 8 lks. dist. &  
a Hackberry 12 " " " N20 W 8 " "  
Land level 8<sup>th</sup> rate, timber Walnut, Ash, Hackb.  
Buckeye &c. underg<sup>rd</sup>. Spruce &c.

East On Random between Sec. 27 &amp; 34

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N &amp; S. line at the corner

Land level 8<sup>th</sup> rate, timber Walnut, Ash, Poplar, Beech &c.



T.H. N. R. N. E. 2<sup>nd</sup>. Mer. Indiana

Ch. Lk.

West Corrected between Sec. 27 &amp; 34

30.00 a Beech 12 in. diam.

39.75 Set of Sec. post at average dist. from which  
a Sugar 9 in. diam. bear N 80 E 10 lks. dist. of  
a No. 6 " " " N 80 W 8 " "

60.00 a Sugar 12 " "

79.50 to Sec. Corner.

North Between Sec. 27 &amp; 28

28.00 a Beech 24 in. diam.

40.00 Set of Sec. post, from which  
a Sugar 12 in. diam. bear East 25 lks. dist. of  
a Hickory 24 " " " N 35 W 30 " "

56.25 a Beech 12 " "

65.00 a Sugar 18 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
a Sugar 9 in. diam. bear East 20 lks. dist. of  
a Beech 6 " " " West 22 " "Land level very rich, timber Sugar, Walnut,  
Elm, Cherry, Beech, Ash &c. underg<sup>g</sup>. SpruceEast Rand<sup>m</sup>. between Sec. 22 & 2740.00 Set temp<sup>y</sup>. of Sec. post79.50 Intersected the N. & S. line 26 lks. N. of post  
Land level rich, Ash, Beech, Poplar &c.

West Corrected between Sec. 22 &amp; 27

5.00 a Beech 70 in. diam.

39.75 An Ash 3 in. diam. at average dist. from which  
a Hickory 8 in. diam. bear N 45 E 4 lks. dist. of  
an Elm 6 " " " S 70 E 10 " "

65.00 an Ash 18 " "

79.50 to Sec. Corner

North Between Sec. 21 &amp; 22

15.00 an Ash 36 in. diam.

S.W. R. E. 2<sup>nd</sup> Mer. IndianaCh. 2<sup>nd</sup> Lk.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 24 in. diam<sup>r</sup>. Bray East 20 lks. dist. of  
an Ash 36 " " " S 80° W 6 " "
- 60.00 a Sugar 24 " "
- 80.00 Set post Cor. to Sec<sup>s</sup>. 15, 16, 21 & 22, from which  
at Beech 8 in. diam<sup>r</sup>. Bray N 10° W 8 lks. dist  
a Do. 5 " " " East 12 " "  
Sand rich level, timber Sugar, Ash, Walnut &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 15 & 22

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post
- 79.50 Intersected the N & S. line at the post  
Sand timber &c. Same as out the last mile

West Connected between Sec<sup>s</sup>. 15 & 22

- 39.75 Set q<sup>r</sup>. Sec. post at average dist. from which  
an Ash 30 in. diam<sup>r</sup>. Bray S 35° E 12 lks. dist. of  
a Do. 24 " " " N 20° E 40 " "
- 60.00 an Ash 24 " "
- 79.50 to Sec. Corner

North Between Sec<sup>s</sup>. 15 & 16

- 11.50 a Sugar 12 in. diam<sup>r</sup>.
- 40.00 Set q<sup>r</sup>. Sec. post, from which  
at Beech 24 in. diam<sup>r</sup>. Bray S 20° W 15 lks. dist. of  
a Sugar 10 " " " N 25° E 20 " "
- 57.50 an Ash 16 " "
- 80.00 Set post Cor. to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
an Elm 12 in. diam<sup>r</sup>. Bray East 12 lks. dist. of  
a Beech 10 " " " N 80° W 14 " "  
Sand level 1<sup>st</sup> rate, timber Beech, Ash, Poplar,  
Elm, Sugar, W. Walnut, underground Spruce &c

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 10 & 15

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post
- 79.70 Intersected the N & S. line 65 lks. N. of post.

221

S.W. N.E. 2<sup>d</sup> Mer. Indiana

Ch. lly. Land level rich, timber Beech, Ash, Walnut  
 Ye. undg<sup>th</sup> Spruce Ye.

West Corrected between Sec. 10 & 15

20.00 a Beech 12 in. diam.

39.85 Set q. sec. post at average dist. from which  
 a Sugar 12 in. diam. bear S 10 E 12 lks. dist. of  
 a Do. 9 " " " N 15 E 25 " "

60.00 a Sugar 20 " "

79.70 to Sec. Corner.

North Between Sec. 9 & 10

19.50 a Beech 20 in. diam.

40.00 Set q. sec. post, from which  
 a Beech 24 in. diam. bear S 10 E 15 lks. dist. of  
 a Do. 10 " " " N 59 W 12 " "

53.50 a B. Walnut 20 " "

80.00 a Sugar tree Cor. to Sec. 3, 4, 9 & 10, from which  
 a W. Ash 16 in. diam. bear S 60 W 20 lks. dist. of  
 a Sugar 12 " " " N 40 E 20 " "

Land level 1<sup>st</sup> rate, timber Beech, Buckeye,  
 Sugar, Elm, Ash, B. Walnut Ye.

East On Rand<sup>m</sup>. between Sec. 3 & 10

40.00 Set temp. q. sec. post

79.90 Intersected the N & S. line 79 lks. N. of post  
 Timber Beech, Elm, Sugar Ye. undg<sup>th</sup> Spruce

West Corrected between Sec. 3 & 10

39.95 Set q. sec. post at average dist. from which  
 a Gum 12 in. diam. bear S 5 E 5 lks. dist. of  
 a Beech 12 " " " N 60 W 25 " "

50.00 a Beech 24 " "

79.90 to Sec. Corner

North Between Sec. 3 & 4 S.W. N.E.

# W. N. R. H. E. D. Mer. Indiana

ch. lks.

- 27.00 a Poplar 36 in. diam.  
 35.00 an Oak 48 " "  
 40.00 Set q. sec. post, from which  
 a Beech 16 in. diam., bear S 60 E 20 lks. dist. of  
 a Do. 10 " " " S 20 W 30 " "  
 59.50 a Beech 16 " "  
 83.75 Intersected N. boundary 150 lks. W. of post  
 Set post Cor. to Sec. 3 of 4, from which  
 a Beech 16 in. diam., bear East 25 lks. dist. of  
 a Walnut 12 " " " S 20 W 25 " "  
 Sand level 1<sup>st</sup> rate, timber Beech, Sugar, Ash &c.
- 

## North Between Sec. 33 & 32

- 15.00 a Poplar 36 in. diam.  
 35.06 an Ash 24 " "  
 40.00 Set q. sec. post, from which  
 a Sugar 9 in. diam., bear South 20 lks. dist. of  
 a Do. 5 " " " N 80 E 10 " "  
 60.90 a Beech 12 " "  
 70.00 an Ash 18 " "  
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which  
 a Beech 24 in. diam., bear South 10 lks. dist. of  
 a Do. 12 " " " N 40 W 25 " "  
 Sand level such, Beech, Poplar, Ash &c.  
 underg<sup>th</sup> Specie &c.
- 

## East On Rand. between Sec. 28 & 33

- 40.00 Set temp. q. sec. post  
 80.85 Intersected the N & S line 12 lks. S. of post  
 Sand timber &c. same as on the last mile
- 

## West Corrected between Sec. 28 & 33

- 20.10 a Beech 12 in. diam.  
 40.42 Set q. sec. post, at average dist. from which  
 a Beech — in. diam., bear N 5 W 9 lks. dist. of  
 a Sugar 7 " " " South 13 " "



T. H. N. R. M. E. D. Mer. Indiana  
 ch. 2<sup>nd</sup> l<sup>th</sup>.  
 65.00 a Poplar 48 in. diam.  
 70.00 an Ash 18 " "  
 80.85 to Sec. Corner

---

North Between Sec. 28 & 29

15.00 a Beech 12 in. diam.  
 35.00 a Do. 12 " "  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Ash — in. diam. & 45 W 10 l<sup>th</sup>. dist. &  
 a Buckeye 8 " " " N 80 E 8 " "  
 60.00 an Ash 12 " "  
 75.00 a Beech 12 " "  
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
 a Beech 12 in. diam. & 120 E 8 l<sup>th</sup>. dist. &  
 a Do. 12 " " " N 15 W 40 " "  
 Sand level & rich, Walnut, Ash, Beech, Sugar &c.

---

East On Rand<sup>m</sup>. between Sec. 21 & 28

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 81.00 Intersected the N & S. line 50 l<sup>th</sup>. S. of post,  
 Beech, Sugar &c. underg<sup>th</sup> Spruce

---

West Cornetted between Sec. 21 & 28

15.00 a Beech 9 in. diam.  
 40.50 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Beech 18 in. diam. & 120 West 12 l<sup>th</sup>. dist. &  
 a Do. 14 " " " N 20 E 10 " "  
 61.50 a Beech 15 " "  
 81.00 to Sec. Corner

---

North Between Sec. 20 & 21

30.00 a Beech 12 in. diam.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. diam. & 120 South 12 l<sup>th</sup>. dist. &  
 a Do. 8 " " " N 60 W 10 " "  
 55.00 An Ash 60 " .



## M. N. R. M. E. D. Mer. Indiana

ch. lks.

65.00 a Cottonwood 48 in. diam.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
 an Ash 8 in. diam. bears West 18 lks. dist. &  
 a Beech 7 " " " S 70 W 20 " "  
 Land level 1<sup>st</sup> date, Beech, Walnut, Ash, Hickory  
 Sugar &c. underg<sup>th</sup> Spruce

East On Rand<sup>m</sup>. between Sec. 16 & 2140.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

81.30 Intersected the N & S. line 70 lks. S. of post  
 Timber Ash, Walnut, Sugar &c.

West Cornetted between Sec. 16 &amp; 21

15.00 a Sugar 9 in. diam.

40.65 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Sugar 15 in. diam. bears N 40 W 10 lks. dist. &  
 a Do. 30 " " " East 15 " "

56.65 a 1<sup>st</sup> Walnut 15 in. diam.

81.30 to Sec. Corner

North Between Sec. 16 &amp; 17

25.00 a Hickory 12 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 18 in. diam. bears S 5 W 10 lks. dist. &  
 a Do. 8 " " " N 40 E 15 " "

62.00 a Beech 12 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17 from which  
 an Ash 12 in. diam. bears N 60 E 8 lks. dist. &  
 a Sugar 8 " " " South 8 " "  
 Land rich, Ash, Sugar, Beech, Elm &c.

East On Rand<sup>m</sup>. between Sec. 9 & 1640.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

81.50 Intersected the N & S. line 43 lks. S. of post  
 Land timber &c. same as on the last mile

# West-PM E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>nd</sup> Mer.

West Connected between Sec. 9 & 16

20.00 a B. Walnut 15 in. diam.

40.75 Set q. Sec. post, from which (at average dist.)  
a Beech 24 in. diam. bearing N 10 W 8 lks. dist. &  
a Do. 15 " " " S 40 E 10 " "

60.00 a Hickory 12 " "

81.50 to Sec. Corner

North Between Sec. 8 & 9

23.00 a Beech 18 in. diam.

40.00 Set q. Sec. post, from which  
a Hickory — in. diam. bearing West 5 lks. dist. &  
a Sugar 18 " " " S 30 W 12 " "

61.00 a Beech 18 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
a Beech 18 in. diam. bearing N 50 E 15 lks. dist. &  
a Do. 24 " " " S 40 W 10 " "

Land level such, Ash, Sugar, B. Walnut, Beech  
&c. underg<sup>th</sup> Spruce &c.

East On Rand. between Sec. 4 & 9

40.00 Set temp. q. Sec. post

81.00 Intersected the N & S line 27 lks. S. of post  
Land timber &c. same as on the last mile

West Connected between Sec. 4 & 9

15.00 a Beech 15 in. diam.

40.50 Set q. Sec. post, from which  
a Beech 12 in. diam. bearing North 15 lks. dist. &  
a Do. 20 " " " S 20 W 4 " "

64.00 a Beech 18 " "

89.00 to Sec. Corner

North between Sec. 4 & 5

20.00 a Beech 12 in. diam.

40.00 Set q. Sec. post, from which

# St. N. R. M. E. 2<sup>nd</sup> Mer. Indiana

Ch. M.

- a Cherry 8 in. diam. - bear N10W15 lks. dist. of  
 a Buckeye 8 " " " S20E25 " "  
 65.00 a Sugar 30 " "  
 84.50 Intersected the N. Boundary 26 1/2 lks. W. of post  
 Set post Cor. to Sec. 4 & 5, from which  
 a Beech 24 in. diam. - bear East 10 lks. dist. of  
 a Do. 10 " " " S70W15 " "  
 Sand 1<sup>st</sup> rate level, timber Walnut, Ash,  
 Beech, Poplar, small growth Spice & Pawpaw

## North Between Sec. 31 & 32

- 18.50 a Hickory 12 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 8 in. diam. - bear N5W12 lks. dist. of  
 a Do. 10 " " " N10E10 " "  
 70.50 a Coffee nut 12 in. diam.  
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 10 in. diam. - bear S20W12 lks. dist. of  
 a Do. 14 " " " N40E18 " "  
 Sand timber &c. same as on the last mile

## East On Rand. between Sec. 29 & 32

- 40.00 Set temp. q. Sec. post  
 80.44 Intersected the N & S line 39 lks. N. of post  
 Sand good timber, Beech, Sugar, Poplar &c.

## West Connected between Sec. 29 & 32

- 15.00 a Beech 18 in. diam.  
 40.22 Set q. Sec. post at average dist. from which  
 a Beech 30 in. diam. - bear N5E10 lks. dist. of  
 a Do. 24 " " " N5W12 " "  
 80.44 to Sec. Corner.

## North Between Sec. 29 & 30

- 11.50 a Beech 20 in. diam.  
 33.00 a Brook 10 lks. wide Course West

West N E. 2<sup>d</sup>. Mer. Indianach. 2<sup>d</sup> lky.

40.00 Set q. Sec. post, from which  
a Beech 8 in. diam. bear S 5 E 10 lky. dist. of  
a Hickory 20 " " " N 10 E 30 " "

58.00 a Beech 20 " "

60.00 a Sugar 18 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 16 in. diam. bear S 60 E 25 lky. dist. of  
a Sugar 12 " " " N 20 W 12 " "  
Land good, timber Beech, Sugar, Ash &c. underg<sup>th</sup> Spruce

East On Rand<sup>m</sup>. between Sec. 20 & 29

40.00 Set temp. q. Sec. post

80.12 Intersected the N & S. line 65 lky. N. of post  
Land level 2<sup>d</sup>. rate, timber Beech, Sugar, Ash  
&c. underg<sup>th</sup> Spruce.

## West Cornetted between Sec. 20 &amp; 29

20.00 an Ash 15 in. diam.

40.06 Set q. Sec. post at average dist. from which  
a Beech 14 in. diam. bear North 30 in. diam.  
an Elm 10 " " " South 12 " "

65.00 a Beech 16 " "

80.12 to Sec. Corner

## North Between Sec. 19 &amp; 20

21.00 a B. Walnut 18 in. diam.

40.00 Set q. Sec. post, from which  
a Buckeye 6 in. diam. bear N 26 W 15 lky. dist. of  
a Ho. 8 " " " S 25 E 30 " "

46.50 a Brook 20 lky. wide Course S 80 E.

68.00 an Ash 12 in. diam.

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
a Sugar 6 in. diam. bear S 10 E 15 lky. dist. of  
a Beech 12 " " " North 20 " "  
Land level rich, timber Sugar, Ash, Elm,  
B. Walnut &c. underg<sup>th</sup> Spruce &c



T.M. N. R. M. E. 2<sup>d</sup> Mer. Indianach<sup>d</sup>. l<sup>y</sup>East / Land<sup>m</sup>. between Sec<sup>s</sup>. 17 & 2040.00 Set temp<sup>y</sup>. gr. Sec. post80.94 Intersected the N & S. line 16 l<sup>y</sup>s. N. of post  
Land 2<sup>d</sup>. rate, Beech, Sugar &c. undg<sup>th</sup>. Spice &cWest Corrected between Sec<sup>s</sup>. 17 & 2025.00 an Ash 15 in. diam<sup>r</sup>.40.47 Set gr. Sec. post, from which (at average dist.)  
at Beech 9 in. diam<sup>r</sup>; bear S 50° W 15 l<sup>y</sup>s. dist. &  
a do. 9 " " " North 20 " "

61.50 an Oak 62 " "

80.94 to Sec. Corner

North / Between Sec<sup>s</sup>. 17 & 1814.00 an Oak 68 in. diam<sup>r</sup>.40.00 Set gr. Sec. post, from which  
at Beech 9 in. diam<sup>r</sup>; bear S 30° W 8 l<sup>y</sup>s. dist. &  
a do. 12 " " " North 25 " "

71.00 at Beech 8 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 7, 8, 17 & 18, from which  
at Beech 20 in. diam<sup>r</sup>; bear N 60° W 10 l<sup>y</sup>s. dist. &  
a do. 16 " " " North 40 " "  
Land level 2<sup>d</sup>. rate Beech, Sugar &c. undg<sup>th</sup>. SpiceEast On Land<sup>m</sup>. between Sec<sup>s</sup>. 8 & 1740.00 Set temp<sup>y</sup>. gr. Sec. post80.20 Intersected the N & S. line 10 l<sup>y</sup>s. N. of Corner  
Land level & such, Walnut, ash, Beech & SpiceWest Corrected between Sec<sup>s</sup>. 8 & 1715.00 a Beech 6 in. diam<sup>r</sup>.40.10 Set gr. Sec. post at average dist. from which  
at Beech 24 in. diam<sup>r</sup>; bear S 70° W 10 l<sup>y</sup>s. dist. &  
a do. 4 " " " S 20° E 12 " "

80.20 to Sec. Corner

# St. N. R. N. E. 2<sup>nd</sup> Mer. Indiana

229

ch. lks.

North Between Sec. 7 & 8

20.10 at Beech 6 in. diam.

40.00 Set q. Sec. post, from which  
at Beech 8 in. diam. bear North 12 lks. dist. &  
a No. 24 " " " S 70 E 10 " "

65.00 an Ash 18 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
at Beech 18 in. diam. bear S 45 E 20 lks. dist. &  
a No. 12 " " " N 10 W 25 " "

Sand level rich, timber Ash, Walnut, Beech,  
Sugar &c. underg<sup>th</sup> Spruce

East On Rand<sup>m</sup>. between Sec. 5 & 8

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 3 lks. N. of Corner  
Sand timber &c. Same as on the last mile

West Corrected between Sec. 5 & 8

25.00 a Beech 18 in. diam.

40.00 Set q. Sec. post at average dist. from which  
at Beech 10 in. diam. bear N 80 E 6 lks. dist. &  
a No. 4 " " " South 10 " "

56.00 a Hackberry 8 " "

80.00 To Sec. Corner

North Between Sec. 5 & 6

22.00 a Sugar 24 in. diam.

30.00 a run 15 lks. wide Course S 40 E.

40.00 Set q. Sec. post, from which  
at Beech 30 in. diam. bear S 10 E 10 lks. dist. &  
an Iron? 6 " " " N 40 W 8 " "

55.00 an Ash 18 " "

85.75 Intersected N. boundary 50 lks. west of Corner & set  
post Cor. to Sec. 5 & 6, from which  
at Beech 12 in. diam. bear S 40 E 12 lks. dist. &  
a No. 30 " " " S 50 W 25 " "

St. N. P. M. E. 2<sup>nd</sup> Mer. Indiana  
ch. Mer.

Land level & good, timber Walnut, Ash, Anger,  
Buckeye, underground Spruce

West Between Sec. 30 & 31

21.00 an Elm 12 in. diam.

40.00 Set of Sec. post, from which  
a Beech 12 in. diam. bear N 40 E 66 yds. dist. of  
an Elm 12 " " " S 50 W 25 " "

48.00 Intersected W. boundary 75 yds. S. of post, set  
post Cor. to Sec. 30 & 31, from which  
a Buckeye 12 in. diam. bear S 10 E 10 yds. dist. of  
a Do. 8 " " " North 12 " "  
Land level & rich, timber W. Walnut, Elm, Anger  
Buckeye, underground Spruce.

West Between Sec. 19 & 30

26.00 a Beech 12 in. diam.

40.00 Set of Sec. post, from which  
a W. Walnut 18 in. diam. bear S 30 W 66 yds. dist. of  
a Buckeye 8 " " " N 20 E 8 " "

48.00 Intersected W. boundary 210 yds. S. of post, set  
post Cor. to Sec. 19 & 30, from which  
a Anger 12 in. diam. bear East 15 yds. dist. of  
a Beech 24 " " " S 80 W 12 " "  
Land rich & level, Walnut, Anger, Beech &c.  
undergrowth Spruce &c.

West Between Sec. 18 & 19

16.00 a Beech 24 in. diam.

40.00 Set of Sec. post, from which  
a Beech 24 in. diam. bear S 20 E 8 yds. dist. of  
a Do. 6 " " " North 10 " "

48.25 Intersected W. boundary 290 yds. S. of post, set  
post Cor. to Sec. 18 & 19, from which  
an Ash 12 in. diam. bear North 8 yds. dist. of  
a Do. 18 " " " S 40 E 5 " "

T4 N R11 E, 2<sup>d</sup> Mer. Indiana  
 Ch. 1<sup>st</sup> 1/4.  
 Sand level rich, timber Ash, Beech, Sugar.

West Between Sec. 7 & 18  
 17.00 a Beech 12 in. diam.  
 40.00 Set of Sec. post, from which  
 a Beech 12 in. diam. bear North 12 lks. dist. of  
 a Dr. 18 " " " N 60 E 15 " "  
 48.95 Intersected W. boundary 410 lks. S. of post & set  
 post Cor. to Sec. 7 & 18, from which a  
 Blue Ash 12 in. diam. bear N 50 W 6 lks. dist. of  
 a Dr. 6 " " " S 10 E 20 " "  
 Sand level rich, timber Blue Ash, Elm, Sugar,  
 &c. underg<sup>th</sup> Spice.

West Between Sec. 6 & 7, T4 N, R11 E.  
 17.10 a Beech 18 in. diam.  
 40.00 Set of Sec. post, from which  
 a Sugar 10 in. diam. bear West 8 lks. dist. of  
 a Dr. 8 " " " East 15 " "  
 48.78 Intersected W. boundary 515 lks. S. of post & set  
 post Cor. to Sec. 6 & 7, from which  
 a Beech 24 in. diam. bear N 30 E 20 lks. dist. of  
 a Dr. 18 " " " West 15 " "  
 Sand flat & wet, timber Sugar, Beech, Hickory &c.  
 underg<sup>th</sup> Spice &c.

I certify that the foregoing transcript of the field  
 notes of Township 14 North of Range 11 East of the  
 2<sup>d</sup> Principal Meridian, Indiana, has been compared  
 with the original notes in this Office & found to be  
 correct.

Surveyor General's Office  
 Cincinnati Sept. 20. 1844

William Johnston  
 Sur. Genl.